





Electric Curtain Track Silent Gliss 5600

The Silent Gliss 5600 curtain track system provides benchmarking technology based on outstanding Swiss innovation which meets the complex demands of modern architecture. The system has three key captivating features:

Impressively ...

... silent

The all new Silent Gliss 5600 curtain track system provides complete silence due to a perfect combination of a new patented* two-component roller technology, the exclusive Swiss engineered high-performance motor and the specially coated curtain tracks.

... fast

The new high-performance motor offers the fastest curtain movement at up to 21 cm per second.

... powerful

A remarkable pulling force of 65 kg at high speed to meet the most challenging architectural needs...

For more information visit www.silentgliss.com.au





Restoring Victorian Encaustic Tiles with Dry-Treat

Victorian encaustic tile are aesthetically pleasing, but they can be very costly to install and maintain. These tiles are very porous, meaning that any liquid left on the surface will quickly be absorbed into the material. Topical coatings are not an option, as they do not let the tiles to breathe, which can lead to shrinkage, heaving, or tenting, ruining the surface.

A long lasting, breathable impregnating sealer must be used in order to protect the porous Victorian encaustic tiles. Dry-Treat's STAIN-PROOF™ Original has superior oil and water repellence. Also, STAIN-PROOF™ does not block the pores of the material, allowing water vapour to evaporate freely. The sealer does not change the look of the material, so it will not interfere with the tile's original colours. Moreover, STAIN-PROOF™ does not change the slip resistance of the material.



Versiclad Insulated Roof Panels

Versiclad structural insulated roof panels provide a variety of profiled, weather tight covers, outstanding insulation and a pre-finished maintenance free ceiling.

Versiclad makes it easy to specify roofing for your next project: 5 roofing profiles available. Roof pitches from 1 degree. Trafficable free spans up to 11.4m. Easy to install, drastically reducing construction time. Corrosion resistant top and bottom skins for coastal applications available in 765mm wide panels.



Itrend

TREND GROUP

TREND GROUP is to be one of the world's leading producers of decorative glass, and engineered surfaces. Using advanced technology, our distinct Italian heritage, and imaginative design, we will create inspiring surfaces that enable dreams for beautiful and sustainable environments.

The TREND GROUP collaborates with the world's leading environmental organizations, architects and designers to promote sustainable building practice, and Trend's green product lines contribute measurably to LEED ratings based on credits for Material and Resources, Indoor Environmental Quality and Innovation and Design.


With over 300 colours, any image or pattern can be replicated precisely in glass tile. The reflective brilliance, legendary durability and LEED characteristics imbue tile with exceptional functionality, while your unique vision creates extraordinary originality.

Sustainable Comfort Living

The Hydronic Energy Hub - Reduce your carbon footprint and get one step

closer to a carbon neutral home!

The Solamander Hydronic Energy Hub achieves an optimum and pleasant indoor environment with comfort heating on demand throughout the year. This system has been designed to be an environmentally sound and sustainable solution that offsets household greenhouse gas emissions and allows residential home owners to get one step closer to a carbon neutral house.



The system can prioritise renewable energy sources over non renewable energy sources to ensure minimal energy wastage. The prioritisation of renewable energy sources like solar power reduces the energy costs associated with domestic hot water and other heating related utility bills.

This is an integrated solution that uses multiple renewable energy sources (solar and/or wetbacks) and non-renewable energy sources (electricity and/or gas) for a variety of energy uses and heating purposes. All energy sources and uses must be configured on the controller appropriately to system requirements.

For more information on integrated energy solutions, floor heating and overhead heating systems, please contact Devex Systems on info@devexsystems.com.au / 1800 636 091 or visit us on www.devexsystems.com.au



Davco Elite Silicone - for a seamless finish

Davco Elite Silicone is a one-component, non-sag, permanently flexible neutral cure silicone sealant. It is engineered to deliver excellent adhesion to tiles, stone, glass, aluminium and most common building materials- without the need of a primer.

Elite Silicone is bacteria resistant, offers consistent caulking and smoothing, is non-paintable and is available in 10 contemporary colours. Elite Silicone cures rapidly when exposed to atmospheric moisture to form a durable tight bond. More Information: www.parexdavco.com.au



Smart LED Light

The Solatube revolutionary commercial Smart LED lighting system, unites advanced LED technology with proven Solatube Skylight design to provide a 24-hour lighting solution that delivers energy savings.

With its cutting-edge, energy-efficient design, the Solatube Smart LED lighting System is leading the way in innovation.

Solatube International sets the benchmark in the industry for a reason. Our Solatube Daylighting Systems use the best materials, the most advanced technologies and the most progressive engineering, to create systems that deliver the highest quality daylight at the greatest output.





Ambience Eco Fires

Ambience Eco Fires are exclusive distributors of high quality, German-designed denatured ethanol fires.

Uni Flame is suitable for use both indoors and outdoors, allowing you to spend pleasant evenings in the garden watching the ambient real flames in a safe environment.

10 year Operational guarantee | German designed | German manufactured | TUV approved | Heating capacity 1800 watts | Uses eco friendly bio-ethanol fuel | Clean burning, smokeless & completely odourless | Dimensions: 99cm wide x 40cm deep x 46cm high.

Contact us for more information on any of our designs: www.ambienceecofires.com.au