



Perfect for Architects and Home designers alike, the Dux Platinum Stainless Steel drainage systems provide a commercial grade quality solution for all drainage applications where excellence and aesthetics are paramount – inside and out. Dux Platinum Stainless Steel has made specifying and ordering Stainless Steel linear drains trouble free and easy as the flexible manufacture process can accommodate any custom design requirements due to site conditions, function or form. Ideal for installations or refurbishments in bathrooms, laundries, kitchens, bars, balconies, courtyards, footpaths, driveways or water features in either domestic or commercial applications.









## **Product**show

**Dux Platinum Stainless Steel** is 100% Australian manufactured and manufactured to Australian Standards. For ease of specifying and design, it comes in an easy to order component system to suit various functions and appeal.

Pressed Edge Grate and Trough is the most popular profile for internal water catchment applications up to 2 m long. With a standard shallow trough of 20mm and slim-line edges, the Pressed Edge is easy to install in new buildings and/or renovations as it sits easily in the tile bed.


Standard items are available off the shelf in 75/100mm wide, 900mm, 1000mm and 1200mm lengths with a 1% cross-break fall to a central outlet. Other sizes and lengths are able to be custom made.

For drainage areas greater than 3m in length, choose from the **Crushed Edge Grate & Trough** for a subtle look, or the **Folded Edge Grate & Trough** for a more commercial heavy duty look, as there is an allowance for 2% or greater fall in the channel to the nominated outlet/s.

01 Crafted from marine grade 316 Stainless Steel, or 304 grade Stainless Steel, Dux Platinum Stainless Steel is


02 Dux Platinum Stainless Steel grates are removable for easy cleaning of the underlying stainless steel channel/trough. **03** Crushed Edge Grate and Trough can have mitred corners for maximum aesthetic appeal in courtyards or balconys.



















- 04 Perfect for use with large floor tiles, the Standard Range of Pressed Edge Grate and Trough are designed for maximum drainage in most shower applications.
- 05 Bold Straight Lines of Dux Platinum grating has anti-wedge properties to keep clean in outdoor applications.
- **06** Crushed Edge Grate and Trough can have mitred corners for maximum aesthetic appeal in courtyards or balconys.

All Dux Platinum Stainless Steel wedgewire drainage systems can be manufactured with the following finishes for special applications:

- Class A to Class D loading
- With or Without lockdowns for security or vehicle applications
- Standard Satin (No 4) Mill finish or High Hand Polish
- Electropolished particularly for swimming pool applications
- Powdercoated
- Standard Longitudinal wire direction or Transverse wire direction

For Virtually invisible drainage, **Dux Platinum Concept Trough and Insert** is the perfect solution. As with the entire Platinum Range, the floor is able to be sloped in a single direction, yet still providing superior drainage, making Dux Platinum perfect for use with large tiles, timber or pavers. Standard size of 100mm x 600mm are available. All other sizes made to order.



07 Grates can be made in Heavy Duty – up to C Class for driveway crossovers, wheelchair access or trolleys.

07 Large format Entry Mats can be created in any size or shape and with heel guard for protection of high



90

## 

\* Check with local water authority and plumbing regulations for specific requirements.

As per 2004 recommendation of Water-Proofing Association council of the NSW Master Builders.


## **Recommended Installation Practices**


- Always inspect unit prior to Installation. Check the level of the trough is falling correctly towards the outlet.
- Waterproof and Install according to your Local Authority Requirements.
- If you remove the grate while installing, ensure that the integrity of the trough opening is maintained by using a spreader.
- Once Installed, grate should be set 1-3mm lower than the finished floor level to allow for best drainage.
- Use a wire hook through the support bars to remove the grate for regular cleaning (no less than 6 monthly) to ensure grate remains in best condition.

Tested to AS1589-2001




## Dux platinum stainless steel









Timber Concept Shower Tray are all custom manufactured. Standard sizes are 900x900mm, 900x1200mm, 900x1500mm and 900x1800mm. Curved units in 900x900mm are available for corner showers.



ATS 5200.040 Cert 21017 SAI GLOBAL

WELLINGTON Head Office PO Box 38-989, Hutt City tel 04 567-8900 fax 04 567-8904 www.dux.co.nz

CHRISTCHURCH tel 03 348-8713 fax 03 348-5094 AUCKLAND tel 09 634-3460 fax 09 634-3462 **BRISBANE** SHOWROOM 157 Granite Street, Geebung PO Box 166, Zillmere, 4034 tel 07 3865 1169 fax 07 3865 1093 email aquadux@aquadux.com.au

MELBOURNE SHOWROOM 2/13-19 Coora Rd, Oakleigh South, 3178 tel 03 9544 4966 fax 03 9544 1800 www.aguadux.com.au

**SYDNEY** SHOWROOM 1/605 Darling Street, Rozelle PO Box 319, Rozelle, 2039 tel 02 9810 6969 fax 02 9555 4755 www.aguadux.com.au

**WA** 08 9344 3883 **SA** 1300 132 352 TAS 03 9544 4966 **NT** 0417 763 015

1300 132 352 www.aquadux.com.au